

Control Towers

Available in hydraulic raise & lower for installation in control/power vans and pull-trailers or stationary for fixed applications.

By providing a 360° view and complete control of your spread, ELRUS Control Vans & Towers can significantly increase production. A centralized operating station offers the added benefit of improved safety for everyone onsite.

Whether you need a full control van and tower or are looking to install a pop-up or stationary tower with an unbeatable view, there is an ELRUS tower that will improve your site safety and efficiency.

POP UP TOWER FEATURES

Designed with health and safety in mind

Control towers can be mounted inside power vans or on pull trailers that can be pulled with a pick up truck are the heart of the crusher control centre. They are raised and lowered using a 12-volt hydraulic scissor lift and are pin-locked within the tower mounting frame once in the operating position.



Control Tower Features:

- Full 360° view of the crushing spread
- Climate control for operator comfort
- Plenty of room for control panel, phone, computer controls etc.
- Simple hydraulic raise and lower for travel or security
- Rear access (escape) full glass door & aluminum floor hatch
- Wired for lights, air conditioning, heat and accessories





STATIONARY TOWER FEATURES

The perfect solution for permanant plants. ELRUS stationary towers are available in standard sizes: 6X8', 6X10', 6X12', 8X10', 10X10', 10X12' AND 10X14'



Control Tower Features:

- 30" locking steel door with 18" window
- Full 360° view of the crushing spread Climate control for operator comfort
- Plenty of room for control panel, phone, computer controls etc.
- Wired for lights, air conditioning, heat and accessories

Optional Awning Package:

Provides increased protection from sun Fold-down and lockable for added security

Stationary Tower Sizes



4x5'



8x10'



6x8'



10x10'



6x10'



10x12'



6x12'



10x14'



CONTROL TOWER FEATURES



Oversized glass door for superior view of operations



360° view of spread centralized control panel



4° slopping bronze tinted windows



Lighting and shelving, stainless steel console, and captains chair



Captain's chair - adjustable on swivel base c/w arm and foot rests



Air conditioning mounted underneath console



HD industrial rubber flooring w/ 6" stainless steel kick boards



Rubber weather seal around tower




Electrical system: 16 circuit 70 Amp panel box c/w both 220 and 110 V outlets



Roll down, see through blinds on front and 2 side windows



Aluminum floor hatch door to inside of trailer with gas cylinder assist opener



Roof-mounted electrical outlets for lights 220V (top of tower)



Ph: 888-535-7877 • info@elrus.com

www.elrus.com